

In the Claims:

- 
1. (Currently Amended) Device for large screen projection, comprising:  
a projection lamp;  
an image projection plane; and  
an objective lens;

wherein the projection lamp contains two light sources which are arranged relative to one another in a manner adapted to produce light envelopes in the form of a partial cone of light from each of the light sources that is directed through the image projection plane and through the objective lens; and wherein a main cone of light is formed from said light sources about a common envelope line of said two partial cones of light; wherein the light sources are arranged such that their partial cones of light merge in the main cone of light; and wherein the partial cones of light converge to a common point located between the image projection plane and an exit surface of the objective lens.

A4  
2. (Currently Amended) ~~Device~~ The device as claimed in claim 1, wherein the two partial cones of light have optical axes arranged at an included angle of roughly 18°.

3. (Currently Amended) ~~Device~~ The device as claimed in claim 2, further comprising a reflector associated with each of the two light sources, the reflectors defining parabolic shapes which intersect at a junction line of the reflectors which extends in a plane containing said common envelope line of the partial cones of light.

4. (Currently Amended) ~~Device~~ The device Device as claimed in claim 1, further comprising a reflector associated with each of the two light sources, the reflectors defining parabolic shapes which intersect at a junction line of the reflectors which extends in a plane containing said common envelope line of the partial cones of light.

5. (Currently Amended) ~~Device~~ The device as claimed in claim 3, wherein edge areas of the reflectors are each shortened on a mutually facing side ~~facing thereof~~, said shortened edge areas being connected to one another.

6. (Currently Amended) ~~Device~~ The device as claimed in claim 1, wherein edge areas of the reflectors are shortened on mutually facing sides thereof, said shortened edge areas being connected to one another.

7. (Currently Amended) ~~Projection~~ A projection lamp for a lamp housing of a large screen projector, comprising:

two light sources which are arranged relative to one another in a manner adapted to produce light envelopes in the form of a partial cone of light from each of the light sources; and

wherein a main cone of light is formed from said light sources about a common envelope line of said two partial cones of light; wherein the light sources are arranged such that their partial cones of light merge in the main cone of light; and wherein the partial cones of light converge to a common point located between the image projection plane and an exit surface of the objective lens.

8. (Currently Amended) ~~Projection~~ The projection lamp as claimed in claim 7, wherein the two partial cones of light have optical axes arranged at an included angle of roughly 18°.

9. (Currently Amended) ~~Projection~~ The projection lamp as claimed in claim 8, further comprising a reflector associated with each of the two light sources, the reflectors defining parabolic shapes which intersect at a junction line of the reflectors which extends in a plane containing said common envelope line of the partial cones of light.

10. (Currently Amended) ~~Projection~~ The projection lamp as claimed in claim 7, further comprising a reflector associated with each of the two light sources, the reflectors defining parabolic shapes which intersect at a junction line of the reflectors which extends in a plane containing said common envelope line of the partial cones of light.

11. (Currently Amended) ~~Device~~ The projection as claimed in claim 9, wherein edge areas of the reflectors are each shortened on a mutually facing side ~~facing~~ thereof, said shortened edge areas being connected to one another.

12. (Currently Amended) ~~Device~~ The projection as claimed in claim 7, wherein edge areas of the reflectors are shortened on mutually facing sides thereof, said shortened edge areas being connected to one another.

A4

